



## **Connect-it** MODULAR CEILING MOUNTS

**FOR SMALL AND MEDIUM SIZED  
FLAT DISPLAYS**



Vogel's Professional offers a complete new range of ceiling solutions for small and medium sized displays, the Connect-it Series. Connect-it is a modular system consisting of a limited number of products that can be combined into more than 84 solutions. That means the Connect-it range can provide a solution for almost every situation.

**The range includes:**

- **4 Ceiling plates: PUC 1010, PUC 1030, PUC 1040, PUC 1050**

The ceiling plates are part of the modular system which enables you to create your own ceiling mounting solution for flat displays. You can easily attach one of the poles with just 1 screw, which saves on installation time.

- **6 Poles: PUC 2108, PUC 2115, PUC 2130, PUC 2308, PUC 2315, PUC 2330**

The poles are the basis of the Connect-it (modular) system for small to medium sized flat displays. The main features of the poles are: quick and easy installation; large cable management system; stylish design; the pole can easily be cut to length if necessary; easy to customize (23xx Series); multiple displays can be mounted on one pole (23xx Series).

- **4 Interfaces: PFI 3010, PFI 3020, PFI 3030, PFI 3040**

There are three VESA interfaces available: 75x75/100x100, 200x100, 200x200 mm, which can easily be attached to the poles. The main features are: fast, easy and safe installation by just 1 person, horizontal levelling function, and tilt function. There is one universal interface available which supports non VESA fittings of up to 230x260 mm. It features all the functions mentioned before, but is also adjustable in height and can be used for multiple display mounting.

**The key features of Connect-it:**

- A solution for almost every situation
- Quick and easy installation
- Cost effective
- Easy to customize
- Stylish design



# A SOLUTION FOR ALMOST EVERY SITUATION




## Universal interface

- Non VESA up to 230x260 mm
- Height adjustable
- Tilt: 0-10-20-30°
- Back-to-back mounting
- Floor-to-ceiling mounting
- Quick and easy install
- Optional security




Floor-to-ceiling mounting



## Cable management



The double CIS® (Cable Inlay System), neatly hides all cables.



## Easy to customize\*


The covers are easy to customize by the user to match a particular interior or housestyle.

\* Just add a printed sticker on the removable cover plate.




## VESA interfaces

VESA: 75x75/100x100, 200x100, 200x200 mm; Tilt function 0-10-20°; Horizontal levelling



## CEILING PLATES




**PUC 1010**

- Ceiling plate suitable for flat ceilings
- Cover included
- Max load: (2x) 30 kg




**PUC 1030**

- Ceiling plate suitable for inclined and flat ceilings
- Cover included
- Max load: (2x) 30 kg



**PUC 1040**

- Ceiling plate suitable for inclined and flat ceilings
- Ball joint, multi directional
- Max load: (2x) 30 kg



**PUC 1050**

- Truss adapter for 51 mm truss systems
- Max load: (2x) 30 kg

## POLES



**PUC 21xx**


- Poles PUC 21xx Series in 3 different lengths: PUC 2108 (80 cm), PUC 2115 (150 cm), PUC 2130 (300 cm)
- Max load: 30 kg
- Double cable management, CIS®
- Aluminium, easy to cut to length



**PUC 23xx**

- Poles PUC 23xx Series in 3 different lengths: PUC 2308 (80 cm), PUC 2315 (150 cm), PUC 2330 (300 cm)
- Max load: (2x) 30 kg
- Double cable management, CIS®
- Easy to customize
- Multiple display mounting
- Aluminium, easy to cut to length

## INTERFACES




**PFI 3010**

- VESA: 75x75, 100x100 mm
- Tilt function: 0-10-20°
- Max load: 30 kg
- Levelling function
- Fits on PUC 21xx and PUC 23xx poles




**PFI 3020**

- VESA: 200x100 mm
- Tilt function: 0-10-20°
- Max load: 30 kg
- Levelling function
- Fits on PUC 21xx and PUC 23xx poles



**PFI 3030**

- VESA: 200x100, 200x200 mm
- Tilt function: 0-10-20°
- Max load: 30 kg
- Levelling function
- Fits on PUC 21xx and PUC 23xx poles



**PFI 3040**

- Non VESA up to 230x260 mm
- Tilt function: 0-10-20-30°
- Max load: 30 kg
- Height adjustable
- Fits on PUC 23xx poles



Request our extensive catalogue with our entire range of solutions: [www.vogels.com/profcat](http://www.vogels.com/profcat)

[WWW.VOGELS.COM](http://WWW.VOGELS.COM)

**vogel's**  
Professional

PX 70191 © 02/2010 Subject to printing errors, technical and price amendments.